



#	QTY.	MATERIAL	DESCRIPTION
1	2	ALUM. EXT. 6061-T6	FRAME EXTRUSION # S8984
1A	2	ALUM. EXT. 6061-T6	FRAME EXTRUSION # S8983
2	2	ALUM. PLT. 6061-T6	6.4mm TREAD PLATE
3	14	ALUM. EXT. 6061-T6	76X6mm FLAT BAR REINFORCING
4	AS REQD	ALUM. EXT. 6061-T6	38 X 64 X 6mm CASTIN ANCHOR
5	2	STAINLESS STEEL 316	90 DEG. HOLD OPEN ARM
6	2	STAINLESS STEEL 316	3" CONT. HINGE c/w 1/4" TAMPERPROOF FASTENERS & 6X42mm ALUM. FLAT BAR
7	4	ALUM. EXT. 6061-T6	TYPE-1 RECESSED DROP HANDLE WELDED UNDERSIDE BOX
8	4	STAINLESS STEEL 316	SLAM LOCK c/w ALUM. REMOVABLE SEALING PLUG AND OPENING TOOL
9	2	STAINLESS STEEL 316	GAS SPRING ASSIST CYLINDER c/w ALUM. MOUNTING BRACKETS
10	4	ALUM. EXT. 6061-T6	LOCK TAB

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND OTHER RIGHTS WHICH ARE THE SOLE AND EXCLUSIVE PROPERTY OF MSU MISSISSAUGA LTD.

POSSESSION OF THIS MATERIAL DOES NOT CONVEY OR TRANSFER ANY RIGHTS THEREIN, AND REPRODUCTION, USE, COPYING OR DISCLOSURE TO OTHERS IS FORBIDDEN WITHOUT THE PRIOR WRITTEN CONSENT OF AN OFFICER OF MSU MISSISSAUGA LTD.

© MSU MISSISSAUGA LTD. - JULY 23RD, 2014

NOTE: 1) ALL ALUMINUM SURFACES IN CONTACT WITH CONCRETE SHALL RECEIVE 2 COATS OF BITUMINOUS PAINT.
 2) WELDING SHALL CONFORM TO CSA W47.2 CSA W59.2
 3) GROUND ROUGH EDGES SMOOTH. WELDED SURFACES REMAIN AS WELDED.

PROJECT	LOCATION PROJECT
CONTRACTOR	CONTRACTOR
ARCHT/ENGR	ENGINEER
QTY. 1	PROJECT NO. #

TITLE MSU TYPE-CD ALUM. ACCESS HATCH 1200 X 1200MM CLEAR OPENING					
REVISION	NO.	DATE	BY	DATE	DWG. BY: SCJ
▲				###/###	PLNO. CATA
▲				SCALE NTS	CHK'D BY: DWG. NO. CK-2